


Thread
power distribution



Distributor Product Guide

With an ultra-thin design, Thread easily installs underneath the floor covering, seamlessly integrating into any space without impeding foot traffic.

Table of Contents

3	OVERVIEW
3	Components
3	Accessories
4	COMPONENTS
4	Power Track Wall Infeed
6	Power Track Floor Infeed
10	Power Track
12	Connector
13	ACCESSORIES
13	Hub
14	Power Strip
15	Low-Profile Adapter
16	TECHNICAL INFORMATION

Overview

This guide will give you a basic understanding of Thread and help you navigate how to order the necessary components and accessories.

Components

Power Track Infeed

Power Track Infeeds provide the option of connecting the Thread system to building power, either through the wall or through the floor. They are available in 12" increments. *Note: the length of each Power Track Infeed is measured from the center of the building infeed to the center of the connector.*


- Use a ramp if installing your Thread system under carpet only.
- Use infill if installing your Thread system under luxury vinyl tile or carpet.

Power Track

Power Tracks connect to Power Track Infeeds to distribute power through the floor around a room. Power Tracks allow you to make 90° turns and extend tracks up to 70' in length. They are available in 12" increments.

- Use a ramp if installing your Thread system under carpet only.
- Use infill if installing your Thread system under luxury vinyl tile or carpet.

Layout Straight/Inline Power Track Run



Connector

Connectors build a power grid that accepts standard NEMA 3-prong plugs or proprietary low-profile plugs.

There are four connector types:

- Blank: low-profile
- One door: low-profile
- Two door: low-profile
- Monument: NEMA

Low-profile connectors:

- Utilize a proprietary plug design to minimize the profile and ensure ADA compliance.
- ADA compliant.
- See page 12 for the connector type use cases.

NEMA connector:

- Provides 4 standard 3-prong NEMA receptacles and stands approximately 2.5" off the ground.
- Only meant for areas that would not be considered egress or aiseways.
- Non-ADA compliant.

To digitally lay out Thread components, use our visualizer tool:

[http://gpvt.steelcase.com/ThreadVisualizer/.](http://gpvt.steelcase.com/ThreadVisualizer/)

Accessories Hub

Access power with Hubs anywhere in the space—at work surface height and seated height. The Thread Hub comes in two heights: 30" and 37 1/8". Available with a low-profile or standard NEMA plug.

Power Strip

The Thread Power Strip is a rectangular power strip that can be ordered as freestanding or clamp-on. Thread power strip with clamp-on mount works on worksurfaces that range from 3/4" to 2 1/2" thick.

Choose from a:

- Three power and one USB format.
- One USB, two power, one USB format.

Available with a low-profile or standard NEMA plug.

Power strips come standard with a 6' or 10' cord.

Low-Profile Adapter

The Thread Low-Profile Adapter is 8¾" long and allows a single three-prong plug to connect to Steelcase's proprietary low-profile connectors. The plug adapter was designed to convert a low-profile connection to a standard NEMA connection.

Power Track Infeed

Wall Infeed with Ramps

This Power Track Infeed connects your Thread system to wall power—inside or outside the wall. Product is shown with ramps for installation **under carpet**. Available in 6" increments for up to 12' of track. *Note: the length of each Power Track Infeed is measured from the center of the building infeed to the center of the connector.*

Part #
PFLTRKINF

Finish Group
Plastic - PG1



Size	Finish	SKU
24"	Platinum Solid (6249)	TN024LS
	Merle (6527)	TN024LM
36"	Platinum Solid (6249)	TN036LS
	Merle (6527)	TN036LM
48"	Platinum Solid (6249)	TN048LS
	Merle (6527)	TN048LM
60"	Platinum Solid (6249)	TN060LS
	Merle (6527)	TN060LM
72"	Platinum Solid (6249)	TN072LS
	Merle (6527)	TN072LM
84"	Platinum Solid (6249)	TN084LS
	Merle (6527)	TN084LM
96"	Platinum Solid (6249)	TN096LS
	Merle (6527)	TN096LM
108"	Platinum Solid (6249)	TN108LS
	Merle (6527)	TN108LM
120"	Platinum Solid (6249)	TN120LS
	Merle (6527)	TN120LM
132"	Platinum Solid (6249)	TN132LS
	Merle (6527)	TN132LM
144"	Platinum Solid (6249)	TN144LS
	Merle (6527)	TN144LM

This product then connects to our [Power Track with Ramps](#).

Power Track Infeed

Wall Infeed with Infills

This Power Track Infeed connects your Thread system to wall power—inside or outside the wall. The wall infeed pictured is shown with outside wall power and with infill for installation **under luxury vinyl tile or carpet**. *Note: the length of each Power Track Infeed is measured from the center of the building infeed to the center of the connector.*

Part #
PFLTRKINFV

Finish Group
Plastic - PG1



Size	Finish	SKU
24"	Platinum Solid (6249) Merle (6527)	KV024LS KV024LM
36"	Platinum Solid (6249) Merle (6527)	KV036LS KV036LM
48"	Platinum Solid (6249) Merle (6527)	KV048LS KV048LM
60"	Platinum Solid (6249) Merle (6527)	KV060LS KV060LM
72"	Platinum Solid (6249) Merle (6527)	KV072LS KV072LM
84"	Platinum Solid (6249) Merle (6527)	KV084LS KV084LM
96"	Platinum Solid (6249) Merle (6527)	KV096LS KV096LM
108"	Platinum Solid (6249) Merle (6527)	KV108LS KV108LM
120"	Platinum Solid (6249) Merle (6527)	KV120LS KV120LM
132"	Platinum Solid (6249) Merle (6527)	KV132LS KV132LM
144"	Platinum Solid (6249) Merle (6527)	KV144LS KV144LM

This product then connects to our [Power Track with Infills](#).


Power Track Infeed

Floor Infeed with Ramps

This Power Track Infeed connects your Thread system to power through an existing floor box. The floor infeed pictured is shown with ramps for installation **under carpet**. *Note: the length of each Power Track Infeed is measured from the center of the building infeed to the center of the connector.*

Part #
PFLINFFL

Finish Group
Plastic - PG1



Size	Cover	Cover Finish Group	Cover Finish	Finish	SKU
24"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IF024BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IF024BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IF024BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IF024BNTMLM
	Stainless Steel	-	-	Platinum Solid (6249)	IF024BSLS
	Stainless Steel	-	-	Merle (6527)	IF024BSLM
36"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IF036BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IF036BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IF036BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IF036BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IF036BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IF036BSLM
48"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IF048BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IF048BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IF048BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IF048BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IF048BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IF048BSLM
60"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IF060BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	F060BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IF060BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IF060BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IIF060BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IF060BSLM
72"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IF072BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IF072BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IF072BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IF072BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IF072BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IF072BSLM
84"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IF084BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IF084BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IF084BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IF084BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IF084BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IF084BSLM

Continued on the next page.

Power Track Infeed

Floor Infeed with Ramps

(continued)

Size	Cover	Cover Finish Group	Cover Finish	Finish	SKU
96"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IF096BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IF096BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IF096BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IF096BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IF096BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IF096BSLM
108"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IF108BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IF108BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IF108BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IF108BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IF108BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IF108BSLM
120"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IF120BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IF120BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IF120BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IF120BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IF120BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IF120BSLM
132"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IF132BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IF132BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IF132BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IF132BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IF132BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IF132BSLM
144"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IF144BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IF144BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IF144BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IF144BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IF144BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IF144BSLM

Power Track Infeed

Floor Infeed with Infills

This Power Track Infeed connects your Thread system to power through an existing floor box. The floor infeed pictured is shown with infill for installation **under luxury vinyl tile or carpet**. *Note: the length of each Power Track Infeed is measured from the center of the building infeed to the center of the connector.*

Part #
PFLINFFLV

Finish Group
Plastic - PG1



Size	Cover	Cover Finish Group	Cover Finish	Finish	SKU
24"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IV024BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IV024BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IV024BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IV024BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IV024BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IV024BSLM
36"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IV036BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IV036BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IV036BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IV036BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IV036BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IV036BSLM
48"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IV048BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IV048BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IV048BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IV048BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IV048BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IV048BSLM
60"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IV060BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IV060BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IV060BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IV060BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IV060BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IV060BSLM
72"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IV072BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IV072BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IV072BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IV072BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IV072BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IV072BSLM
84"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IV084BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IV084BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IV084BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IV084BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IV084BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IV084BSLM

Continued on the next page.

Power Track Infeed

Floor Infeed with Infills

(continued)

Size	Cover	Cover Finish Group	Cover Finish	Finish	SKU
96"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IV096BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IV096BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IV096BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IV096BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IV096BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IV096BSLM
108"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IV108BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IV108BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IV108BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IV108BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IV108BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IV108BSLM
120"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IV120BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IV120BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IV120BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IV120BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IV120BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IV120BSLM
132"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IV132BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IV132BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IV132BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IV132BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IV132BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IV132BSLM
144"	Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	IV144BNTPLS
	Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	IV144BNTPLM
	Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	IV144BNTMLS
	Blank	Textured Paint	Merle (7360)	Merle (6527)	IV144BNTMLM
	Blank Stainless Steel	-	-	Platinum Solid (6249)	IV144BSLS
	Blank Stainless Steel	-	-	Merle (6527)	IV144BSLM

COMPONENTS

Power Track with Ramps

This Power Track is an extension of the Infeed. Ramp power tracks are installed **under carpet**. Carpet thickness must be between 0.225" to 0.450" to be used with ramps.

Part #
PFLTRK



Size	SKU
24"	TR024
36"	TR036
48"	TR048
60"	TR060
72"	TR072
84"	TR084
96"	TR096
108"	TR108
120"	TR120
132"	TR132
144"	TR144

This product then connects to our [Connectors](#).

COMPONENTS

Power Track with Infills

This Power Track is an extension of the infeed. Infill power tracks are installed **under luxury vinyl tile or carpet**. Flooring thickness must be between 0.100" to 0.250" for both carpet and luxury vinyl tile to be used with infills.

Part #
PFLTRKV



Size	SKU
24"	TV024
36"	TV036
48"	TV048
60"	TV060
72"	TV072
84"	TV084
96"	TV096
108"	TV108
120"	TV120
132"	TV132
144"	TV144

This product then connects to our [Connectors](#).


Connector

Connectors build a power grid that accepts standard NEMA 3-prong plugs or proprietary low profile plugs.

- A blank connector is utilized when all three receptacles are used to go straight, left, and right, OR when you're extending the track and have no desire for plugs.
- A one door connector is used when making a right angle with the track.
- A two door connector is used inline or at the end of a run.
- A NEMA monument is used when ADA compliance is not necessary and you want a raised receptacle with a standard NEMA plug.

Part #
PFLCNCTR
Finish Group
Plastic - PG1

Cover types



Blank: low-profile



One door: low-profile



Two door: low-profile




Monument: NEMA

Color options



Cover and Trim Ring:
Merle



Cover: Stainless Steel
Trim Ring: Platinum Solid



Cover and Trim Ring:
Platinum Solid

Cover	Cover Finish Group	Cover Finish	Trim Ring Finish	Tamper Resistance	SKU
1 Door Low Profile	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	-	CN1LTPLS
1 Door Low Profile	Textured Paint	Platinum Solid (7190)	Merle (6527)	-	CN1LTPLM
1 Door Low Profile	Textured Paint	Merle (7360)	Platinum Solid (6249)	-	CN1LTMLS
1 Door Low Profile	Textured Paint	Merle (7360)	Merle (6527)	-	CN1LTMLM
1 Door Low Profile Stainless	-	-	Platinum Solid (6249)	-	CN1SLS
1 Door Low Profile Stainless	-	-	Merle (6527)	-	CN1SLM
2 Door Low Profile	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	-	CN2LTPLS
2 Door Low Profile	Textured Paint	Platinum Solid (7190)	Merle (6527)	-	CN2LTPLM
2 Door Low Profile	Textured Paint	Merle (7360)	Platinum Solid (6249)	-	CN2LTMLS
2 Door Low Profile	Textured Paint	Merle (7360)	Merle (6527)	-	CN2LTMLM
2 Door Low Profile Stainless	-	-	Platinum Solid (6249)	-	CN2SLS
2 Door Low Profile Stainless	-	-	Merle (6527)	-	CN2SLM
Blank	Textured Paint	Platinum Solid (7190)	Platinum Solid (6249)	-	CNBNTPLS
Blank	Textured Paint	Platinum Solid (7190)	Merle (6527)	-	CNBNTPLM
Blank	Textured Paint	Merle (7360)	Platinum Solid (6249)	-	CNBNTMLS
Blank	Textured Paint	Merle (7360)	Merle (6527)	-	CNBNTMLM
Blank Stainless Steel	-	-	Platinum Solid (6249)	-	CNBSLS
Blank Stainless Steel	-	-	Merle (6527)	-	CNBSLM
Nema Monument	Plastic - PG1	Platinum Solid (7190)	Platinum Solid (6249)	No	CNNMLPLSN
Nema Monument	Plastic - PG1	Platinum Solid (7190)	Platinum Solid (6249)	Yes	CNNMLPLSY
Nema Monument	Plastic - PG1	Platinum Solid (7190)	Merle (6527)	No	CNNMLPLMN
Nema Monument	Plastic - PG1	Platinum Solid (7190)	Merle (6527)	Yes	CNNMLPLMY
Nema Monument	Plastic - PG1	Merle (7360)	Platinum Solid (6249)	No	CNNMLMLSX
Nema Monument	Plastic - PG1	Merle (7360)	Platinum Solid (6249)	Yes	CNNMLMLSY
Nema Monument	Plastic - PG1	Merle (7360)	Merle (6527)	No	CNNMLMLMN
Nema Monument	Plastic - PG1	Merle (7360)	Merle (6527)	Yes	CNNMLMLMY

Hub

Access power with Hubs anywhere in the space—at work surface height, seated height, or use an adapter to access power on the floor. The Thread Hub comes in two heights, 30" and 37.125", with a 5' cord. Available with a low-profile or standard NEMA plug.

Part #
PFLHUB



Arctic White Gloss (4140)



Size	Plug	Finish Group	SKU
30"	Lowprow Standard Nema 5-15 3-Prong	Accessory Paint Accessory Paint	HU030LAA HU030SAA
37.125"	Lowprow Standard Nema 5-15 3-Prong	Accessory Paint Accessory Paint	HU037LAA HU037SAA

Platinum Metallic (4799)



Size	Plug	Finish Group	SKU
30"	Lowprow Standard Nema 5-15 3-Prong	Smooth Metallic Smooth Metallic	HU030LSP HU030SSP
37.125"	Lowprow Standard Nema 5-15 3-Prong	Smooth Metallic Smooth Metallic	HU037LSP HU037SSP

Merle (6527)



Size	Plug	Finish Group	SKU
30"	Lowprow Standard Nema 5-15 3-Prong	Textured Paint Textured Paint	HU030LTM HU030STM
37.125"	Lowprow Standard Nema 5-15 3-Prong	Textured Paint Textured Paint	HU037LTM HU037STM

Power Strip

The Thread Power Strip is a rectangular power strip that can be freestanding or clamp on. Available with a low-profile or standard NEMA plug. Power strips come standard with a 6' or 10' cord.

Part #
PFLPWRST



Size	Plug	Mount	Power	Tamper Resistance	SKU
6'	Lowprow	Clamp On	1 USB/2 Power/1 USB	No	PW072LCUN
	Lowprow	Clamp On	1 USB/2 Power/1 USB	Yes	PW072LCUY
	Lowprow	Clamp On	3 Power/1USB	No	PW072LCPN
	Lowprow	Clamp On	3 Power/1USB	Yes	PW072LCPY
	Lowprow	Freestanding	1 USB/2 Power/1 USB	No	PW072LFUN
	Lowprow	Freestanding	1 USB/2 Power/1 USB	Yes	PW072LFUY
	Lowprow	Freestanding	3 Power/1USB	No	PW072LFPN
	Lowprow	Freestanding	3 Power/1USB	Yes	PW072LFPY
	Standard Nema 5-15 3-Prong	Clamp On	1 USB/2 Power/1 USB	No	PW072SCUN
	Standard Nema 5-15 3-Prong	Clamp On	1 USB/2 Power/1 USB	Yes	PW072SCUY
	Standard Nema 5-15 3-Prong	Clamp On	3 Power/1USB	No	PW072SCPN
	Standard Nema 5-15 3-Prong	Clamp On	3 Power/1USB	Yes	PW072SCPY
	Standard Nema 5-15 3-Prong	Freestanding	1 USB/2 Power/1 USB	No	PW072SFUN
	Standard Nema 5-15 3-Prong	Freestanding	1 USB/2 Power/1 USB	Yes	PW072SFUY
	Standard Nema 5-15 3-Prong	Freestanding	3 Power/1USB	No	PW072SFPN
	Standard Nema 5-15 3-Prong	Freestanding	3 Power/1USB	Yes	PW072SFPY
10'	Lowprow	Clamp On	1 USB/2 Power/1 USB	No	PW120LCUN
	Lowprow	Clamp On	1 USB/2 Power/1 USB	Yes	PW120LCUY
	Lowprow	Clamp On	3 Power/1USB	No	PW120LCPN
	Lowprow	Clamp On	3 Power/1USB	Yes	PW120LCPY
	Lowprow	Freestanding	1 USB/2 Power/1 USB	No	PW120LFUN
	Lowprow	Freestanding	1 USB/2 Power/1 USB	Yes	PW120LFUY
	Lowprow	Freestanding	3 Power/1USB	No	PW120LFPN
	Lowprow	Freestanding	3 Power/1USB	Yes	PW120LFPY
	Standard Nema 5-15 3-Prong	Clamp On	1 USB/2 Power/1 USB	No	PW120SCUN
	Standard Nema 5-15 3-Prong	Clamp On	1 USB/2 Power/1 USB	Yes	PW120SCUY
	Standard Nema 5-15 3-Prong	Clamp On	3 Power/1USB	No	PW120SCPN
	Standard Nema 5-15 3-Prong	Clamp On	3 Power/1USB	Yes	PW120SCPY
	Standard Nema 5-15 3-Prong	Freestanding	1 USB/2 Power/1 USB	No	PW120SFUN
	Standard Nema 5-15 3-Prong	Freestanding	1 USB/2 Power/1 USB	Yes	PW120SFUY
	Standard Nema 5-15 3-Prong	Freestanding	3 Power/1USB	No	PW120SFPN
	Standard Nema 5-15 3-Prong	Freestanding	3 Power/1USB	Yes	PW120SFPY

Low-Profile Adapter

The Low-Profile Adapter is 8¾" long and allows a single three-prong plug to connect to Steelcase's proprietary low-profile connectors. The plug adapter was designed to convert a low-profile connection to a standard NEMA connection.

Part #
PFLADPTR



SKU
AD

Technical Information

This section will give you a basic understanding of the technical aspects of the Thread system and help you navigate how to order the necessary components and accessories.

- The Thread system is a 20 amp branch circuit, that should only be connected to a dedicated 120-127 V~ 60Hz 20A single phase GFCI protected building power circuit.
- The system utilizes three standard 12 gauge wires—hot, neutral, and ground.
- When more than one circuit is required to support a space or application, additional circuits need to be provided using Thread Power Track Infeeds connected to other circuits in the building. The number of circuits available varies and is determined by building construction. Please consult your electrician if you are unsure of the building power capabilities.
- UL and cUL certified.
- 12 year warranty.
- UL limits Thread lengths to 70' of track.
- Typical lead time for delivery is 4 weeks.

Contact & How to Order

If you have questions, contact your distributor, manufacturer representative or Joe Cappelletti at electric-channel@steelcase.com.

800.333.9939

steelcase.com/electrical-channel

*To digitally lay out Thread components, use our visualizer tool:
<http://gpvt.steelcase.com/ThreadVisualizer/>.*



Visit Steelcase.com